

Mail.XML Version 25.1

System Messages Specification

May 20, 2022

Working Group Chair

Shawn Baldwin, WindowBook

Technical Director

Shariq Mirza, DTAC Associate, Assurety Consulting & Solutions

Editor

Shariq Mirza, DTAC Associate, Assurety Consulting & Solutions

Copyright (c) 2021 – Delivery Technology Advocacy Council (“DTAC”). All Rights Reserved.

Mail.dat is a registered trademark of DTAC

Mail.XML is a trademark of DTAC



Copyright and Legal Notices

© 2022 Delivery Technology Advocacy Council. All Rights Reserved.

Copyright 2022 – Delivery Technology Advocacy Council (“DTAC”) is the “Copyright Owner” of “Mail.XML®”. All rights reserved by the Copyright Owner under the laws of the United States, Belgium, the European Economic Community, and all states, domestic and foreign. This document may be downloaded and copied provided that all copies retain and display the copyright and any other proprietary notices contained in this document. This document may not be sold, modified, edited, or taken out of context such that it creates a false or misleading statement or impression as to the purpose or use of the Mail.XML® specification, which is an open standard. Use of this Standard, in accord with the foregoing limited permission, shall not create for the user any rights in or to the copyright, which rights are exclusively reserved to the Copyright Owner.

DTAC and the members of the Mail.XML® Specifications - Committee (collectively and individually, "Presenters") make no representations or warranties, express or implied, including, but not limited to, warranties of merchantability, fitness for a particular purpose, title, or non-infringement. The presenters do not make any representation or warranty that the contents of this document are free from error, suitable for any purpose of any user, or that implementation of such contents will not infringe any third-party patents, copyrights, trademarks or other rights. By making use of this document, the user assumes all risks and waives all claims against Presenters.

In no event shall Presenters be liable to user (or other person) for direct, indirect, special or consequential damages arising from or related to any use of this document, including, without limitation, lost profits, business interruption, loss of programs, or other data on your information handling system even if Presenters are expressly advised of the possibility of such damages.

Some states do not allow the disclaimer or limitation of damages, so the disclaimers set forth above apply to the maximum extent permitted under applicable law.

Abstract

This document describes the messaging protocol for use by mailers and their consignees. The Mail.XML™ Transaction Protocol defines the roles and responsibilities of Shippers and Consignees and defines the format and method for message exchange. This messaging protocol is designed to be XML and Web-Services compliant.

Mail.XML and Mail.dat are trademarks of DTAC.

About Mail.XML™

Mail.XML™ is bringing a paradigm change to the industry by increasing business function specific B2B (Business to Business) communication within the industry that supports automation and in the end enables cost avoidance and higher profits through improved competence and effectiveness of communication. Mail.XML is designed to increase efficiency and lower costs by removing many manual data entry processes and enabling quick near real time communication between business partners. Mail.XML currently supports container based scheduling, pick up and drop off business processes, as well as identifying different business entities responsible for performing different services such as quality of mailing, address correction, and delivery confirmation on a mailing. The core focus of Mail.XML is communication between industry members and from industry to the final mail processing and delivery organization that delivers the mail to the end consumer, e.g., USPS. In the next few versions of Mail.XML the focus moves across mailing supply chain channels, and includes advanced functions such as payment; automated verification; enabling first, second, and third-party communication and incorporating presort planning, printing, and distribution processes.

About Mail.XML Schema Modularization

Today Mail.XML messages are grouped into 8 message types.

- Transportation Messages (TM)
- Mailing Messages (MM)
- Data Distribution Messages (DD)
- Dynamic Payment Template Messages
- Identification Messages (ID)
- Supply Chain Messages (SC)
- Informed Visibility (IV)
- System Messages
- Base: Shared simple types
- Definitions: Shared complex types and elements

The simple types shared across 2 or more modules are found in the Base schema. Likewise, the shared definitions module contains complex type definitions and elements that are shared across 2 or more modules.

Mail.XML Module Versioning Rules

The following versioning rules will be followed:

The Mail.XML wrapper schema*.xsd) will always be given the next higher version number (or Errata designation) when any update is made to base, defs or any module. The name of the .xsd file will indicate the

new version and the new version number will be used in the namespace and target declarations:
xmlns:mailxml=http://delivery-tech.org/Specs/mailxml25.1/mailxml targetNamespace=http://delivery-tech.org/Specs/mailxml25.1/mailxml

- When updates are made, only those modules that are updated will be given the next higher version number (or Errata letter designation).
- If updates are made to the base or defs, then the base and defs xsds will be given the next higher version number (or Errata designation) and all modules that call to them will also be given the next higher version number (or Errata designation).

For example:

- If the wrapper version is labeled as xmlns:mailxml="http://deliverytech.org/Specs/mailxml25.1A/mailxml" then at least one of the XSDs is at same version such as filename ='Mail.XML_25.1A.xsd' <- Errata A
- If the wrapper version is labeled as xmlns:mailxml="http://deliverytech.org/Specs/mailxml25.1B/mailxml" then at least one of the XSDs is at same version such as filename ='Mail.XML_25.1B.xsd' <- Errata B
- If the wrapper version is labeled as xmlns:mailxml="http://deliverytech.org/Specs/mailxml25.1/mailxml" then at least one of the XSDs is at same version such as filename ='Mail.XML_25.1.xsd' <- Major Version

What's New in Mail.XML Version 25.1?

With this release, the Mail.XML Messaging Protocol moves to Version 25.1. This release supports structure changes required by mailing industry and Postal Service.

Changes supported by Mail.XML 25.1 include:

- CR 2510 - Proposal to update the campaignDataType complex type to be consistent with the USPS Informed Delivery product.
- CR 2508 / 2413 - Proposal to remove ServiceCodeType value of SA for Fragile and update the value description list. The service will not be supported by USPS
- CR 2509 / 2414 - Proposal to update and Add Rate Category values to support Containerizations Discount for USPS Marketing Mail Flats
- CR 2511 / 2415 - Proposal to update and Add Rate Category values to support Package Service Parcel Select Ground Cubic pricing

Mail.XML 25.1 XSD Modules:

The following Mail.XML XSD modules/namespaces are used:

Note: Actual xsd filenames include the version number (e.g. *mailxml_base_25.1.xsd*).

- mailxml_tm.xsd: This module contains all the transportation (or FAST) messages and the attributes, elements and complex types that are unique to these messages. Namespace=mailxml_tm:
- mailxml_mm.xsd: This module contains all the mailing messages (eDoc) and the attributes, elements and complex types that are unique to these messages. Namespace=mailxml_mm:
- mailxml_iv.xsd: This module contains informed visibility messages and the attributes, elements and complex types that are unique to these messages. Namespace=mailxml_iv:
- mailxml_dd.xsd: This module contains all the data distribution messages and the attributes, elements and complex types that are unique to these messages. Namespace=mailxml_dd:
- mailxml_id.xsd: This module contains all the identification messages and the attributes, elements and complex types that are unique to these messages. Namespace=mailxml_id:
- mailxml_sc.xsd: This module contains all the supply chain messages and the attributes, elements and complex types that are unique to these messages. Namespace=mailxml_sc:
- mailxml_defs.xsd: This module contains all the common definitions of attributes, elements and mailxml_base.xsd: This module contains simple types that are shared across two or more modules that make up Mail.XML. These can be considered a building block for any message group. Namespace=mailxml_base:
- mailxml.xsd: This module contains the system messages of Mail.XML and is used to build custom profiles for Mail.XML. Namespace=mailxml:

The Mail.XML™ 25.1 Messaging Documentation Set

The Mail.XML Messaging Specification has been organized into a set of documents. This *Schemas Specification* is one document in a set of documents that make up the Mail.XML Specification 25.1. Updates in this Specification are NOT backwardly compatible with previous versions. Other documents in the specification set include:

- Mail.XML™ 25.1: Transportation Messaging Specification documents all transportation messages
- Mail.XML™ 25.1: Mailing Messaging Specification documents all mailing messages
- Mail.XML™ 25.1: Informed Visibility Specification documents all informed visibility messages

- Mail.XML™ 25.1: Data Distribution Messaging Specification documents all data distribution messages
- Mail.XML™ 25.1: Identification Messaging Specification documents all identification messages
- Mail.XML™ 25.1: Supply Chain Messaging Specification documents all supply chain messages
- Mail.XML™ 25.1: System Messaging Specification documents all systems and fault messages
- Mail.XML™ 25.1: Simple Types Specification documents all simple types used across Mail.XML messages
- Mail.XML™ 25.1: Common Definitions Specification documents all shared elements and complex types.
- Mail.XML™ 25.1: Schemas contains the .XSDs that make up the Mail.XML Messaging Specification

Contents

Abstract.....	3
About Mail.XML™	3
About Mail.XML Schema Modularization	3
Mail.XML Module Versioning Rules.....	3
What’s New in Mail.XML Version 25.1?	5
Mail.XML 25.1 XSD Modules:	5
The Mail.XML™ 25.1 Messaging Documentation Set	5
Index	8
Elements – Complex Types – Simple Types	9

Index

Schema mailxml_iv_25.1.xsd

schema location: ..\XSD\mailxml_iv_25.1.xsd
attribute form default: **qualified**
element form default: **qualified**
targetNamespace: http://delivery-tech.org/Specs/mailxml25.1/mailxml_iv

Elements

[ContainerVisibilityDelivery](#)
[ContainerVisibilityEntry](#)
[ContainerVisibilityNotification](#)
[ContainerVisibilityQueryRequest](#)
[ContainerVisibilityQueryResponse](#)
[IMbMailpieceScanData](#)
[MPSVisDelivery](#)
[MPSVisNotification](#)
[MPSVisQueryRequest](#)
[MPSVisQueryResponse](#)
[StartTheClockBMEUBlock](#)
[StartTheClockDelivery](#)
[StartTheClockDropShipOrOrigin](#)
[StartTheClockNotification](#)
[StartTheClockPlantLoadBlock](#)
[StartTheClockQueryRequest](#)
[StartTheClockQueryResponse](#)

Complex types

[clockStartedType](#)
[manifestScanEventDetailType](#)
[manifestScanNotificationDataType](#)
[manifestScanQueryType](#)
[MPSNotificationDataType](#)
[MPSRequestTypeType](#)
[MPSVisScanQueryType](#)
[PSRBlockType](#)
[scanEventQueryTypeType](#)
[ScanEventResultOptionsType](#)

Simple types

[eDocTypeType](#)
[handlingEventTypeType](#)
[mailObjectTypeType](#)
[recipientRoleType](#)
[scanEventCodeType](#)

Elements – Complex Types – Simple Types

element ContainerVisibilityDelivery

diagram	<p>ContainerVisibilityDelivery Delivery of full service container visibility information by uSPS.</p> <p>attributes</p> <ul style="list-style-type: none"> mailxml_defs:LargeTrans... mailxml_defs:MessageGroupID mailxml_defs:TotalMessageCou... mailxml_defs:MessageSerialNu... mailxml_defs:TransmittedRecor... mailxml_defs:TotalRecordsAcro... mailxml_defs:LastMessage <p>children</p> <ul style="list-style-type: none"> mailxml_iv:SubmittingParty mailxml_iv:SubmittingSoftware mailxml_defs:DataRecipient mailxml_iv:PushMessageID mailxml_iv:ContainerVisibilityEntry (1..∞)
namespace	http://delivery-tech.org/Specs/mailxml25.1/mailxml_iv
children	mailxml_iv:SubmittingParty mailxml_iv:SubmittingSoftware mailxml_defs:DataRecipient mailxml_iv:PushMessageID mailxml_iv:ContainerVisibilityEntry
annotation	documentation Delivery of full service container visibility information by uSPS.

element ContainerVisibilityEntry

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.1/mailxml_iv
children	mailxml_iv:UserLicenseCode mailxml_iv:MaildatJobID mailxml_iv:CustomerGroupID mailxml_iv:MailingGroupID mailxml_iv:ConsigneeApptID mailxml_iv:CSAID mailxml_iv:ContainerID mailxml_iv:MailObjectType mailxml_iv:HandlingEventType mailxml_iv:ParentContainerID mailxml_iv:SiblingContainerID mailxml_iv:ContainerType mailxml_iv:ScanEvent mailxml_iv:IMcb mailxml_iv:IMtb mailxml_iv:IMpb mailxml_iv:FullServiceComplianceIndicator mailxml_iv:FullServiceNonComplianceReasonCode mailxml_iv:FSNonFSAvailabilityDate mailxml_iv:FullServiceIndicator mailxml_iv:ScanEventCode mailxml_iv:RecipientRole
used by	elements ContainerVisibilityDelivery ContainerVisibilityQueryResponse/QueryResults

element **ContainerVisibilityNotification**

diagram	<p>ContainerVisibilityNotification Notification sent by USPS that full service container visibility information is ready for pickup.</p> <p>mailxml_iv:SubmittingParty mailxml_iv:SubmittingSoftware mailxml_iv:PushMessageID mailxml_iv:UserLicenseCode mailxml_iv:MaildatJobID mailxml_iv:CustomerGroupID mailxml_iv:MailingGroupID mailxml_iv:FNonFSAvailabilityD... mailxml_iv:AvailableRecordCount mailxml_iv:CountType mailxml_iv:NotificationDate</p>
namespace	http://delivery-tech.org/Specs/mailxml25.1/mailxml_iv
children	mailxml_iv:SubmittingParty mailxml_iv:SubmittingSoftware mailxml_iv:PushMessageID mailxml_iv:UserLicenseCode mailxml_iv:MaildatJobID mailxml_iv:CustomerGroupID mailxml_iv:MailingGroupID mailxml_iv:FNonFSAvailabilityDate mailxml_iv:AvailableRecordCount mailxml_iv:CountType mailxml_iv:NotificationDate
annotation	documentation Notification sent by USPS that full service container visibility information is ready for pickup.

element ContainerVisibilityQueryRequest

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.1/mailxml_iv
children	mailxml_iv:SubmittingParty mailxml_iv:SubmittingSoftware mailxml_iv:SubmitterTrackingID mailxml_iv:UserLicenseCode mailxml_iv:MaildatJobID mailxml_iv:CustomerGroupID mailxml_iv:MailingGroupID mailxml_iv:DateRange mailxml_iv:ConsigneeApptID mailxml_iv:CSAID mailxml_iv:IMcb mailxml_iv:IMtb mailxml_iv:IMpb mailxml_iv:USPSFacilityLocaleKey mailxml_iv:ContainerScanState mailxml_iv:retrieveDataBy mailxml_iv:MailObjectType mailxml_iv:HandlingEventType mailxml_iv:ScanEventCode mailxml_iv:RecipientRole
annotation	documentation Query request for for full service container visibility information.


element ContainerVisibilityQueryResponse

diagram	<p>ContainerVisibilityQueryRespo... Response to the Query request for for full service container visisbility information.</p> <p>attributes</p> <p>grp mailxml_defs:LargeTrans...</p> <ul style="list-style-type: none"> mailxml_defs:MessageGroupID mailxml_defs:TotalMessageCou... mailxml_defs:MessageSerialNu... mailxml_defs:TransmittedRecor... mailxml_defs:TotalRecordsAcro... mailxml_defs:LastMessage <p>mailxml_iv:TrackingID</p> <p>mailxml_iv:SubmitterTrackingID</p> <p>mailxml_iv:QueryResults</p> <p>mailxml_defs:QueryError</p> <p>Error issued when the query data cannot be provided.</p>
namespace	http://delivery-tech.org/Specs/mailxml25.1/mailxml_iv
children	mailxml_iv:TrackingID mailxml_iv:SubmitterTrackingID mailxml_iv:QueryResults mailxml_defs:QueryError
annotation	<p>documentation</p> <p>Response to the Query request for for full service container visisbility information.</p>

element **IMbMailpieceScanData**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.1/mailxml_iv
children	mailxml_iv:UserLicenseCode mailxml_iv:MaildatJobID mailxml_iv:CustomerGroupID mailxml_iv:MailingGroupID mailxml_iv:MailBundleCount mailxml_iv:MPSCount mailxml_iv:IMcbAndIMtbPieceScanInfo mailxml_iv:IMcbPieceScanInfo mailxml_iv:IMtbPieceScanInfo mailxml_iv:IMbScanRec
used by	elements MPSVisQueryResponse/QueryResults MPSVisDelivery

diagram



namespace http://delivery-tech.org/Specs/mailxml25.1/mailxml_iv

children **mailxml_iv:SubmittingParty** **mailxml_iv:SubmittingSoftware** **mailxml_iv:AssumedScans** **mailxml_iv:eDocType** **mailxml_defs:DataRecipient** **mailxml_iv:PushMessageID** [mailxml_iv:IMbMailpieceScanData](#) **mailxml_iv:ManifestScanEvent** **mailxml_iv:UnManifestedScanEventDetail**

annotation
documentation
Delivery of the Mail Piece Scanned Data to customer by USPS.

element MPSVisNotification

diagram	<p>MPSVisNotification</p> <p>Notification from USPS that the Mail Piece Scanned Data is ready.</p> <ul style="list-style-type: none"> mailxml_iv:SubmittingParty mailxml_iv:SubmittingSoftware mailxml_iv:AssumedScans mailxml_iv:eDocType mailxml_defs:DataRecipient mailxml_iv:PushMessageID mailxml_iv:UserLicenseCode mailxml_iv:MaildatJobID mailxml_iv:CustomerGroupID mailxml_iv:MailingGroupID mailxml_iv:AvailableRecordCount mailxml_iv:NotificationDate Choice: <ul style="list-style-type: none"> mailxml_iv:MPSNotificationData mailxml_iv:ManifestScanNotific...
namespace	http://delivery-tech.org/Specs/mailxml25.1/mailxml_iv
children	mailxml_iv:SubmittingParty mailxml_iv:SubmittingSoftware mailxml_iv:AssumedScans mailxml_iv:eDocType mailxml_defs:DataRecipient mailxml_iv:PushMessageID mailxml_iv:UserLicenseCode mailxml_iv:MaildatJobID mailxml_iv:CustomerGroupID mailxml_iv:MailingGroupID mailxml_iv:AvailableRecordCount mailxml_iv:NotificationDate mailxml_iv:MPSNotificationData mailxml_iv:ManifestScanNotification
annotation	documentation Notification from USPS that the Mail Piece Scanned Data is ready.

element MPSVisQueryRequest

diagram	<p>MPSVisQueryRequest</p> <ul style="list-style-type: none"> mailxml_iv:SubmittingParty mailxml_iv:SubmittingSoftware mailxml_iv:SubmitterTrackingID Choice: <ul style="list-style-type: none"> mailxml_iv:ManifestScanQuery mailxml_iv:MPSVisScanQueryT... mailxml_iv:RetrieveDataBy
namespace	http://delivery-tech.org/Specs/mailxml25.1/mailxml_iv
children	mailxml_iv:SubmittingParty mailxml_iv:SubmittingSoftware mailxml_iv:SubmitterTrackingID mailxml_iv:ManifestScanQuery mailxml_iv:MPSVisScanQueryType mailxml_iv:RetrieveDataBy

element MPSVisQueryResponse

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.1/mailxml_iv
children	mailxml_iv:TrackingID mailxml_iv:SubmitterTrackingID mailxml_iv:eDocType mailxml_iv:QueryResults mailxml_defs:QueryError

element StartTheClockBMEUBlock

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.1/mailxml_iv
children	mailxml_iv:StartTheClockBMEU
used by	complexType clockStartedType

element **StartTheClockDelivery**

diagram	<p>The diagram illustrates the structure of the StartTheClockDelivery element. It begins with a sequence marker (a box with three dots) followed by the StartTheClockDelivery element, which includes the text "Delivery of start the clock information to customer by USPS." This is followed by another sequence marker, then a choice element (a box with three dots) containing four optional elements (indicated by a '+' in a box): mailxml_iv:SubmittingParty, mailxml_iv:SubmittingSoftware, mailxml_defs:DataRecipient, and mailxml_iv:PushMessageID. This is followed by another sequence marker, then another choice element containing one optional element: mailxml_iv:ClockStarted. The cardinality for this final choice element is indicated as 1..∞.</p>
namespace	http://delivery-tech.org/Specs/mailxml25.1/mailxml_iv
children	mailxml_iv:SubmittingParty mailxml_iv:SubmittingSoftware mailxml_defs:DataRecipient mailxml_iv:PushMessageID mailxml_iv:ClockStarted
annotation	documentation Delivery of start the clock information to customer by USPS.

element **StartTheClockDropShipOrOrigin**

diagram



namespace http://delivery-tech.org/Specs/mailxml25.1/mailxml_iv

children **mailxml_iv:UserLicenseCode** **mailxml_iv:MaildatJobID** **mailxml_iv:CustomerGroupID** **mailxml_iv:MailingGroupID** **mailxml_iv:ConsigneeApptID** **mailxml_iv:CSADispatchNumber** **mailxml_iv:PublicationNumber** **mailxml_iv:MailClass** **mailxml_iv:ProcessingCategory** **mailxml_iv:DropShipYesNo** **mailxml_iv:UspsFacilityName** **mailxml_iv:UspsFacilityLocaleKey** **mailxml_iv:City** **mailxml_iv:State** **mailxml_iv:ApptDateTime** **mailxml_iv:ArrivalDateTime** **mailxml_iv:UnloadStartDateTime** **mailxml_iv:UnloadEndDateTime** **mailxml_iv:ApptStatus** **mailxml_iv:StartTheClockDate** **mailxml_iv:FullServiceComplan...** **mailxml_iv:FullServiceNonComp...** **mailxml_iv:FSNonFSAvailabilityD...** **mailxml_iv:FullServiceIndicator** **mailxml_iv:ContainerID** **mailxml_iv:ContainerType** **mailxml_iv:IMcb** **mailxml_iv:IMtb** **mailxml_iv:IMpb**

	mailxml_iv:UspsFacilityLocaleKey mailxml_iv:City mailxml_iv:State mailxml_iv:ApptDateTime mailxml_iv:ArrivalDateTime mailxml_iv:UnloadStartDateTime mailxml_iv:UnloadEndDateTime mailxml_iv:ApptStatus mailxml_iv:StartTheClockDate mailxml_iv:FullServiceComplianceIndicator mailxml_iv:FullServiceNonComplianceReasonCode mailxml_iv:FSNonFSAAvailabilityDate mailxml_iv:FullServiceIndicator mailxml_iv:ContainerID mailxml_iv:ContainerType mailxml_iv:IMcb mailxml_iv:IMtb mailxml_iv:IMpb
used by	element clockStartedType/StartTheClockDropShipOrOriginBlock

element **StartTheClockNotification**

<p>diagram</p>	
namespace	http://delivery-tech.org/Specs/mailxml25.1/mailxml_iv
children	mailxml_iv:SubmittingParty mailxml_iv:SubmittingSoftware mailxml_defs:DataRecipient mailxml_iv:PushMessageID mailxml_iv:UserLicenseCode mailxml_iv:MaildatJobID mailxml_iv:CustomerGroupID mailxml_iv:MailingGroupID mailxml_iv:FSNonFSAAvailabilityDate mailxml_iv:NotificationDate
annotation	documentation Notification from USPS that start the clock information is ready to be picked up.

element **StartTheClockPlantLoadBlock**

<p>diagram</p>	
namespace	http://delivery-tech.org/Specs/mailxml25.1/mailxml_iv
children	mailxml_iv:StartTheClockPlantLoad
used by	complexType clockStartedType

element **StartTheClockQueryRequest**

diagram	<pre> xsd:element name="StartTheClockQueryRequest" type="StartTheClockQueryRequestType"> <div>Query request for start the clock information.</div> <div> mailxml_iv:SubmittingParty mailxml_iv:SubmittingSoftware mailxml_iv:SubmitterTrackingID choice mailxml_iv:ConsigneeApptID mailxml_iv:CSADispatchNumber choice sequence mailxml_iv:UserLicenseCode mailxml_iv:MaildatJobID choice mailxml_iv:CustomerGroupID mailxml_iv:MailingGroupID mailxml_iv:CustomerAccount mailxml_iv:LowerDateRange mailxml_iv:UpperDateRange mailxml_iv:retrieveDataBy </div> </pre>
---------	--

element StartTheClockQueryResponse

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.1/mailxml_iv
children	mailxml_iv:TrackingID mailxml_iv:SubmitterTrackingID mailxml_iv:QueryResults mailxml_defs:QueryError
annotation	documentation Response to the query for start the clock information.

complexType clockStartedType


diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.1/mailxml_iv
children	mailxml_iv:StartTheClockBMEUBlock mailxml_iv:StartTheClockDropShipOrOriginBlock mailxml_iv:StartTheClockPlantLoadBlock
used by	elements StartTheClockDelivery/ClockStarted StartTheClockQueryResponse/QueryResults/ClockStarted

complexType manifestScanEventDetailType


diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.1/mailxml_iv
children	<p> mailxml_iv:USPSEventExtractFileVersionNumber mailxml_iv:IMpb mailxml_iv:ElectronicFileNumber mailxml_iv:MailerID mailxml_iv:MailerName mailxml_iv:DestinationZipCode mailxml_iv:DestinationZipPlusFour mailxml_iv:ScanningFacilityZip mailxml_iv:ScanningFacilityName mailxml_iv:EventCode mailxml_iv:EventName mailxml_iv:EventDate mailxml_iv:EventTime mailxml_iv:MailerOwnerID mailxml_iv:CustomerReferenceID mailxml_iv:DestinationCountryCode mailxml_iv:RecipientName mailxml_iv:OriginalLabel mailxml_iv:UnitofMeasureCode mailxml_iv:Weight mailxml_iv:GuaranteedDeliveryDate mailxml_iv:GuaranteedDeliveryTime mailxml_iv:LogisticsManagerMailerID </p>

used by	elements	MPSVisDelivery/ManifestScanEvent/ManifestScanEventDetail MPSVisQueryResponse/QueryResults/ManifestScanEvent/ManifestScanEventDetail MPSVisDelivery/UnManifestedScanEventDetail MPSVisQueryResponse/QueryResults/UnManifestedScanEventDetail
---------	----------	--


complexType manifestScanNotificationDataType

diagram		
namespace	http://delivery-tech.org/Specs/mailxml25.1/mailxml_iv	
children	mailxml_iv:ConsigneeManifestID	
used by	element	MPSVisNotification/ManifestScanNotification


complexType manifestScanQueryType

diagram		
namespace	http://delivery-tech.org/Specs/mailxml25.1/mailxml_iv	
children	mailxml_iv:ConsigneeManifestID	
used by	element	MPSVisQueryRequest/ManifestScanQuery

complexType MPSNotificationDataType

diagram		
namespace	http://delivery-tech.org/Specs/mailxml25.1/mailxml_iv	
children	mailxml_iv:MPSRBlock mailxml_iv:MPSAvailabilityDate	
used by	element	MPSVisNotification/MPSNotificationData

complexType MPSRequestTypeType

diagram		
namespace	http://delivery-tech.org/Specs/mailxml25.1/mailxml_iv	
children	mailxml_iv:ScanState mailxml_iv:MPSQueryBy	

complexType **MPSVisScanQueryType**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.1/mailxml_iv
children	mailxml_iv:UserLicenseCode mailxml_iv:MaildatJobID mailxml_iv:CustomerGroupID mailxml_iv:MailingGroupID mailxml_iv:ResultOptions mailxml_iv:RangeLowerDate mailxml_iv:RangeUpperDate mailxml_iv:MID6OnThePiece mailxml_iv:MID9OnThePiece mailxml_iv:FacilityLocaleKey mailxml_iv:EventType mailxml_iv:BundleScanType mailxml_iv:IMcb mailxml_iv:IMtb mailxml_iv:IMB mailxml_iv:BundleID mailxml_iv:FieldIncludedScanRecFlag
used by	element MPSVisQueryRequest/MPSVisScanQueryType


complexType **PSRBlockType**

diagram	<pre> xsd:element name="PSRBlockType" type="complexType PSRBlockType"> <div> <div> mailxml_iv:PRID </div> <div> mailxml_iv:IMBLS </div> <div> mailxml_iv:IMBUS </div> <div> mailxml_iv:STCode </div> <div> mailxml_iv:Class </div> <div> mailxml_iv:SLI </div> </div> </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.1/mailxml_iv
children	mailxml_iv:PRID mailxml_iv:IMBLS mailxml_iv:IMBUS mailxml_iv:STCode mailxml_iv:Class mailxml_iv:SLI

complexType scanEventQueryType

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.1/mailxml_iv
children	<p>mailxml_iv:UserCode mailxml_iv:MaildatJobID mailxml_iv:CustomerGroupID mailxml_iv:MailingGroupID mailxml_iv:ResultOptions mailxml_iv:RangeLowerDate mailxml_iv:RangeUpperDate mailxml_iv:MID6OnThePiece mailxml_iv:MID9OnThePiece mailxml_iv:FacilityLocaleKey mailxml_iv:EventType mailxml_iv:BundleScanType mailxml_iv:IMcb mailxml_iv:IMtb mailxml_iv:IMB mailxml_iv:BundleID mailxml_iv:FieldIncludedScanRecFlag</p>

complexType ScanEventResultOptionsType

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.1/mailxml_iv
children	mailxml_iv:IMcb mailxml_iv:IMtb mailxml_iv:IMB mailxml_iv:IMpb
used by	element scanEventQueryType/ResultOptions

simpleType eDocType

namespace	http://delivery-tech.org/Specs/mailxml25.1/mailxml_iv
type	restriction of xs:string
used by	elements MPSVisDelivery/eDocType MPSVisNotification/eDocType MPSVisQueryResponse/eDocType

simpleType handlingEventType

namespace	http://delivery-tech.org/Specs/mailxml25.1/mailxml_iv
type	restriction of xs:string
used by	elements ContainerVisibilityQueryRequest/HandlingEventType ContainerVisibilityEntry/HandlingEventType

simpleType mailObjectType

namespace	http://delivery-tech.org/Specs/mailxml25.1/mailxml_iv
type	restriction of xs:string
used by	elements ContainerVisibilityQueryRequest/MailObjectType ContainerVisibilityEntry/MailObjectType

simpleType recipientRoleType

namespace	http://delivery-tech.org/Specs/mailxml25.1/mailxml_iv
type	restriction of xs:string
used by	elements ContainerVisibilityQueryRequest/RecipientRole ContainerVisibilityEntry/RecipientRole

simpleType scanEventCodeType

namespace	http://delivery-tech.org/Specs/mailxml25.1/mailxml_iv
type	restriction of xs:string
used by	elements ContainerVisibilityQueryRequest/ScanEventCode ContainerVisibilityEntry/ScanEventCode